FORM-V

ENVIRONMENTAL STATEMENT FOR FINANCIAL YEAR 2023-24(01.04.2023 to 31.03.2024)



Submitted to: Regional Officer,

Haryana State Pollution Control Board, Regional Office, Sector-25, Panchkula

Submitted by: "Ess Kay Hygienic Services"

at

Village Bagwala, Tehsil Barwala, District Panchkula, Haryana

FORM V (See Rule 14)

Environmental Statement for the financial year ending on 31st March, 2024

PART A

1 Name and address of the owner/:

occupier of the industry

operation or process

3 Production capacity

Sh. Sahil Nain

M/s Esskay Hygienic Services, Village &

Post Office Bagwala, Tehsil Barwala, Distt.

Panchkula (Haryana)

2 Industry category Primary (SIC : Red Category

Code) Secondary (SIC Code)

Incinerator: 150 Kgs/hr

Autoclave : 25 Kgs/hr

Shredder : 25 Kgs/hr

: 4000 Ltrs/hr

DG set : 40 KVA

4 Year of establishment : 2007

5 Date of the last environmental: 02.05.2023 through speed post

statement submitted

CBWTF has valid consent and Authorization under relevant Acts/Rules.

PART B

Water and Raw Material Consumption:

Water Consumption (m³/day): **02 m3/day**

Table 1

Sr.No	Utilization	Requirement m3/d
1	Floor Washing (Reuse after Treatment)	0.5
2	Vehicle washing (Reuse after Treatment)	0.5
2	Domestic use	0.7
3	Venturi Scrubber	0.8

Name of Products	Process Water Consumption per unit of production output During Financial Year (2023-24)
Treatment of Bio Medical Waste	As mentioned in Table 1 above

Raw Material Consumption:

Name of Raw Materials	Name of Products	Consumption of Raw material in Kgs	
		During Financial	During Financial
		Year (2022-23)	Year (2023-24)
Bio Medical Waste	Nil	667841.9	780286

PART - C

POLLUTION DISCHARGED TO ENVIRONMENT PER UNIT OF OUTPUT

(Parameter as specified in the Consent issued)


(A) Water Pollution Load:

	S.	Pollutants	Quantity of	Concentration of	% of variations from
	No.		Pollutants	Pollutants	prescribed
			discharged	discharged (mg/l)	standards with
			(Kg/day)		reasons
	(1)	Suspended Solids	0.023	13.0	No deviation from
	(2)	BOD3 at 27°C	0.011	6.5	prescribed
Ī	(3)	COD	0.050	28.0	standards
	(4)	Oil & Grease		ND	

Note:

- (i) Calculations based on total discharge of 1.8 KLD of trade effluent & characteristics of treated sewage.
- (ii) Source of data: Test Report No. 1251 dated 28.04.2023 issued by Haryana State Pollution Control Board, C-11, Sector-6, Panchkula (Haryana).
- (iii) No Discharge of trade effluent and reused in various industrial usages.

Environmental Statement (Form-V) F.Y. 2023-24 M/s Ess kay Hygienic Services, V & PO Bagwala, Tehsil Barwala District Panchkula




(B) Air Pollution Load:

Stack emission

S.No.	Air Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/Nm3)	% of variations fron prescribed standards with reasons	
(1)	PM	0.071	30	No deviation from	
(2)	Sulphur Dioxide	0.035	15.1	prescribed standards	
(3)	Oxides of Nitrogen	0.023	10		

Note:

 Source of data: Test Report No. 483 dated 25.04.2023 issued by Haryana State Pollution Control Board, C-11, Sector-6, Panchkula (Haryana).



Page 4 of 9

PART - D

HAZARDOUS WASTES:

(As specified under Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2008 and subsequent amendments)

Hazardous Wastes	Total Quantity (kgs) During Financial Year (2023-24)		
From Process (Incineration Ash)	21005		
From Pollution Control Facility 1. ETP Sludge. 2. Scrubber residue. 3. Used Oil from DG set.	1. 1835 2. 0 3. 30 litres		

PART - E

SOLID WASTES

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad. Quantity is given in part D above.

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous wastes as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1. Waste Oil (Category No. 5.1): Source of used oil is from maintenance of DG sets and is used as lubricant in machinery installed in CBWTF.

(a) Disposal Practice:

The used oil generated was stored in leak proof containers and stocked in safe storage area within the CBWTF premises. Later on it has been used as lubricant in machineries installed in CBWTF.

2. Hazardous Wastes from Process, Pollution Control Devices:

i) Quantity:

The total quantity of solid hazardous waste generated (during 2023-24) from process i.e. incineration ash was about 21.005 Ton.

ii) Disposal Practice:

The hazardous wastes are stored in an intermediate, leachate proof storage room of adequate capacity, situated inside the factory premises. Hazardous waste was disposed off by availing TSDF services being offered by M/s Gujarat Enviro protection & Infrastructure (Haryana) Pvt. Ltd.

Solid Wastes:

Major portion of the solid waste is incineration ash and is disposed off to TSDF at Palli, Faridabad.

PART - G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

a) Air Pollution Control Devices:

State-of-the-art air pollution control devices have been provided in the incinerating plant. The CBWTF has installed PM Collector, Quencher and Venturi Scrubber with droplet Separator, ID fan attached with stack of 30 meters height which are being used for maintaining air emission level within prescribed standards. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

b) Installation of Real Time Online Emission Monitoring System:

The CBWTF has installed OCEMS for providing real time data of various parameters prescribed by CPCB/HSPCB and is connected to server of CPCB/HSPCB.

c) Water Pollution Control Devices:

A sophisticated Effluent Treatment has been installed and operated regularly to control water pollution originating from Venturi Scrubber, Vehicles washing and floor washing. The water consumption in the plant has been reduced in view of recirculation and reuse after treatment. The CBWTF has incurred expenditure in the operation and maintenance of pollution control devices.

d) Greenbelt:

The CBWTF has planted varieties of plants in the CBWTF premises and surrounding area for green belt development.

PART - H

Additional measures / investment proposal for environmental protection including abatement of pollution:

The CBWTF had adopted following measures for environmental protection including abatement of pollution:

- 1. Properly operation of plant.
- 2. Care of Hygiene and housekeeping in CBWTF.
- 3. Reuse of treated water of ETP in Venturi Scrubber.
- 4. Proper preventive equipments provided to workers.
- 5. Awareness of nearby public and representatives of Health Care Facilities regarding proper disposal of Bio-Medical Waste.

PART - I

Any other particulars in respect of environmental protection and abatement of pollution:

- 1. Silent DG set had been installed to curb noise pollution
- 2. HSD meeting Euro III standards are used as fuel to run DG set. This fuel is of high quality and low in sulfur contents (less than 0.035%).
- 3. Awareness programs have been conducted to sensitize stake holders.

Annexure-I

Analysis report dated 28.04.2023 of Trade Effluent after treatment in Effluent Treatment Plant.



Form J

(See Rule 36)

Report No-1251

Type of Sample:

I hereby, certify that I Neeral Bala Board Analyst duly appointed under sub section (3) of section 53 of the Water (Prevention and Control of Pollution) Act 1974 (06 of 1974), received a sample on the 19th day of April, 2023, collected Sh. Sudhir Mohan, AEE dated 19th day of April, 2023 of M/s ESS Kay Hygenic Services, VPO-Bagwala, Panchkula for analysis.

Further certify that I have analyzed the above mentioned sample on 19-April-2023 to 28-April-2023 and declare the result of analysis to be as follows:

Parameter Name	Result	Result	Limit	Test Method
Sample Code	1811	1812		
	Inlet	Outlet		
	Dark Brownish	A.Colourless		
	Foul	Odourless		The state of the s
	6.90	7.92	6.5-9.0	APHA,4500H+B(23rd)
private		6.5	30	IS:3025(Part-44)
BOD (mg/l)			250	APHA,5220-B(23rd)
COD (mg/l)	504.0			APHA,2540-D(23rd)
# # 12 TO THE PARTY OF THE PART	285.0	13.0	100	
	49.5	BDL(DL=2)	10	APHA,5520-B(23rd)
Oil and Grease (mg/l)	13.3	503.0	4	IS:3025(Part-14):2013
Conductivity (u S/cm)	3240.0	505.0		
	Sample Code Sample Collected from Color Odour pH value BOD (mg/l) COD (mg/l) Total Suspended Solids mg/l	Sample Code 1811 Sample Collected from Inlet Color Dark Brownish Odour Foul pH value 6.90 BOD (mg/l) 140.0 COD (mg/l) 504.0 Total Suspended Solids mg/l 285.0 Oil and Grease (mg/l) 13.5	Sample Code 1811 1812 Sample Collected from Inlet Outlet Color Dark Brownish A. Colourless Odour Foul Odourless pH value 6.90 7.92 BOD (mg/l) 140.0 6.5 COD (mg/l) 504.0 28.0 Total Suspended Solids mg/l 285.0 13.0 Oil and Grease (mg/l) 13.5 BDL(DL=2)	Sample Code 1811 1812 Sample Collected from Inlet Outlet Color Dark Brownish A. Colourless Odour Foul Odourless pH value 6.90 7.92 6.5-9.0 BOD (mg/l) 140.0 6.5 30 COD (mg/l) 504.0 28.0 250 Total Suspended Solids mg/l 285.0 13.0 100 Oil and Grease (mg/l) 13.5 BDL(DL=2) 10

The Conditions of the seals, listening and container on receipt was as follows: Container had its seal found intact and in order, slip on the container had the signature of the

representative of the industry and the Board.

Signed this 28th day of April,2023

Haryana State Pollution Control Board Laboratory,

SCO-115, 1st& 2nd Floor, Sector-25, Panchkula, Haryana

CC to Regional Office: Panchkula. This test report relate only to the particular sample submitted for

Annexure-II

Analysis report dated 25.04.2023 of air emissions of stack attached to Incinerator.



Form IV

(See Rule 20)

Report No- 483

Dated: 25.04.2023

I hereby, certify that I <u>Neeral Bala</u> Board Analyst duly appointed under sub section (2) of section 29 of the Air (Prevention and Control of Pollution) Act 1981 received a sample on the 19th day April of, 2023, collected by <u>Sh. Sudhir Mohan, AEE</u> on dated 19th day April of, 2023, of <u>M/s</u> Ess Kay Hygienic Services, VPO-Bagwala, Panchkula for analysis.

Further certify that I have analyzed the above mentioned sample on 19th day April of, 2023, to 25th April-2023 and declare the result of analysis to be as follows:-

Sr.	Parameter Name	Result	Result	Limit
1.	Sample Code	483		
2.	Name of Plant/ Section #	Incinerator		- 1
3.	Stack Attached to #	Incinerator		
4.	Normal Operating Schedule (hr/day)#	4-8 hrs		
5.	Type of Chimney#	Metal		
6.	Stack Height from Ground Level #	33 m		
7.	Diameter of the Stack #	121 inch	HE PARTY	
8.	Stack Temperature (C) #	110		
9.	Average stack velocity (m/sec) #	5.3		
10.	Quantity of Emission (m/sec)	0. 37	A SHAPE	
11.	Type of Fuel #	HSD		
12.	Suspended particulate matter (with correction factor CO ₂) mg/m3	30.0		50
13.	Sulphur dioxide (mg/m3)	15.1		-
14.	Nitrogen Oxide (mg/m3)	10.0		
15.	Carbon Dioxide %	5.2		

Method of Testing As per relevant part of Indian Standard Methods for Measurement of Air Pollution IS:11255 (P-1) Stack/IS:5182(P-4) Ambient and Emission regulation part III of Central Pollution Control Board.

The Conditions of the seals, listening and container on receipt was as follows:

Container had its seal found intact and in order, slip on the container had the signature of the representative of the industry and the Board.

Signed this 25.04.2023

Haryana State Pollution Control Board Laboratory, SCO-115, 1st & 2nd Floor, Sector-25, Panchkula, Haryana To

The Member Secretary, HSPCB, Panchkula

Neerog Bala

Regional Office: Panchkula. This test report relate only to the particular sample submitted for testing.

This information is provided by the field officer